

# Appendix

## Web Command Error Codes

Error codes marked with \* are received in responses from the FTP server, and then returned as the result of FTP command execution.

<b>Error Code</b>	<b>Error Text</b>
-501	Incorrect parameter type
-502	Error getting information about a parameter
-503	Incorrect number of parameters
-504	The command can only decode streams of characters (in a character variable)
-506	Unrecognised command
-507	Error locking handle
-508	Bad list generated by command
-509	Bad socket passed to command
-511	No address specified
-512	Could not open ICMP handle
-513	Could not start timer
-516	The end-user cancelled the request
-517	Bad option passed to TCPClose
-522	Timeout while waiting for response or request
-523	Badly formatted response from server
-524	Response from server is too short
-525	Response from server has incorrect syntax
-1010	Out of memory
-1012	Unix TCPPing requires a raw socket: only processes with an effective user id of zero or the CAP_NET_RAW capability are allowed to open raw sockets
-1013	Cannot do TCPPing on Win32 without icmp.dll
-1014	Attempt to perform secure operation on non-secure connection
-1015	Attempt to make an already secure connection secure
-1016	Cannot load wsecure.so/dll. Perhaps OpenSSL is not installed

<b>Error Code</b>	<b>Error Text</b>
-1017	A required function is missing from wsecure.so/dll
-1018	Cannot request a partial closure of a secure connection
-1019	Error setting up secure library threading
-1020	Error seeding Pseudo Random Number Generator
-1021	The OpenSSL library returned an error; call WebDevGetSecureError for more information
-1022	Invalid secure object passed to wsecure
-1023	Unknown error returned by OpenSSL library
-1024	Unable to get a suitable Omnis folder for CA certificates
-1025	Cannot open cacerts.pem
-1026	Cannot get find handle to list CA certificates
-1027	cacerts folder does not contain any CA certificates
-1028	Error getting next certificate file
-1029	Unable to open CA certificate
-1030	Wsecure initialization failed
-1031	Error establishing secure connection
-1032	Buffer overflow would occur because a field is too long
-1105*	Need FTP account for storing files
-1106*	Requested FTP action aborted: page type unknown
-1107*	Requested FTP file action aborted. Exceeded storage allocation (for current directory or dataset)
-1108*	Requested FTP action not taken. File name not allowed
-1109*	Requested FTP action aborted: local error in processing
-1110*	FTP file not found, or no access to file
-1116	Parameter passed to FTP command is too long
-1117	Parameter passed to FTP command contains invalid characters
-1119*	FTP Restart marker reply
-1120*	FTP serviceready in nnn minutes
-1121*	FTP data connection already open; transfer starting
-1122*	FTP file status okay; about to open data connection
-1123*	FTP user name okay, need password
-1124*	Unrecognised FTP positive preliminary reply
-1125*	Unrecognised FTP positive intermediate reply

<b>Error Code</b>	<b>Error Text</b>
-1126*	Unrecognised FTP transient negative completion reply
-1127*	Unrecognised FTP permanent negative completion reply
-1129	Could not extract server IP address and port from response to FTP command PASV
-1130	FTP transfer type must be zero (for ASCII) or one (for binary)
-1131	FTP could not open local file
-1132	Error while FTP was reading or writing the local file
-1134*	Need account for FTP login
-1135*	Requested FTP file action pending further information
-1136*	FTP service not available, closing control connection
-1137*	Cannot open FTP data connection
-1138*	FTP connection closed; transfer aborted
-1139*	Requested FTP file action not taken. File unavailable (e.g., file busy)
-1142*	Requested FTP action not taken. Insufficient storage space in system
-1143*	Syntax error: FTP command unrecognized or too long
-1144*	Syntax error in FTP parameters or arguments
-1145*	FTP command not implemented
-1146*	Bad sequence of FTP commands
-1147*	FTP command not implemented for that parameter
-1148*	Not logged in to FTP server
-1149*	Unrecognised response from FTP server
-1150	Must use passive FTP when the connection is secure
-1151	FTP server response to AUTH TLS command does not allow a secure connection to be established
-1154	Unable to determine end of HTTP header
-1161	Incomplete HTML tag
-1180	Parameter passed to HTTP command is too long
-1181	Post with CGI parameters sends CGI parameters as content: cannot supply content-type/length header in header list
-1182	Received HTTP request is badly formatted
-1183	Received HTTP request does not contain the HTTP version
-1184	Received HTTP request contains badly formatted CGI parameters
-1185	Invalid HTTP status code - must be 1-999

<b>Error Code</b>	<b>Error Text</b>
-1186	The client HTTP application closed the connection
-1187	The client HTTP application did not send a Content-Length header
-1188	The maximum response size specified in the call to HTTPRead was exceeded
-1205	SMTP: 435 Unable to authenticate at present
-1206	The SMTP server does not support authentication
-1207	SMTP: 535 Incorrect authentication data
-1208	SMTP: 432 A password transition is needed
-1209	SMTP: 534 The authentication mechanism is too weak
-1210	SMTP: 538 Encryption is required for requested authentication mechanism
-1211	SMTP: 454 Temporary authentication failure
-1212	SMTP: 530 Authentication is required
-1213	Unexpected response from server during authentication
-1214	SMTP: OK Authenticated
-1215	SMTP: continue command
-1216	Required type of authentication (PLAIN or LOGIN) not supported by SMTP server
-1217	The response to the EHLO command could not be parsed
-1218	Parameter passed to mail command is too long
-1219	SMTP: Unrecognised response from SMTP server
-1220	SMTP: 211 System status, or system help reply
-1221	SMTP: 214 Help message
-1222	SMTP: 220 <domain> Service ready
-1223	SMTP: 221 <domain> Service closing transmission channel
-1224	SMTP: 250 Requested mail action okay, completed
-1225	SMTP: 251 User not local; will forward to <forward-path>
-1226	SMTP: 354 Start mail input; end with <CRLF>.<CRLF>
-1227	SMTP: 421 <domain> Service not available, closing transmission channel
-1228	SMTP: 450 Requested mail action not taken: mailbox unavailable [E.g., mailbox busy]
-1229	SMTP: 451 Requested action aborted: local error in processing
-1230	SMTP: 452 Requested action not taken: insufficient system storage
-1231	SMTP: 500 Syntax error, command unrecognized

<b>Error Code</b>	<b>Error Text</b>
-1232	SMTP: 501 Syntax error in parameters or arguments
-1233	SMTP: 502 Command not implemented
-1234	SMTP: 503 Bad sequence of commands
-1235	SMTP: 504 Command parameter not implemented
-1236	SMTP: 550 Requested action not taken: mailbox unavailable
-1237	SMTP: 551 User not local; please try <forward-path>
-1238	SMTP: 552 Requested mail action aborted: exceeded storage allocation
-1239	SMTP: 553 Requested action not taken: mailbox name not allowed
-1240	SMTP: 554 Transaction failed
-1241	Error decoding quoted printable or base 64 encoded data
-1242	Body part list is inconsistent - cannot build MIME content
-1244	POP3: error received from server
-1245	POP3: could not extract message size from response to LIST command
-1246	POP3: message received from server is too large (does not match size in LIST command response)
-1260	IMAP: invalid response received from server
-1261	IMAP: invalid tag received from server
-1262	IMAP: invalid greeting message received from server
-1263	IMAP: connection rejected by server (BYE received in greeting message)
-1264	IMAP: the server does not support plain or CRAM-MD5 authentication
-1265	IMAP: the server does not support the STARTTLS command, so a secure connection cannot be established
-1266	IMAP: the server response to the CAPABILITY command was incorrect
-1267	IMAP: the server must support IMAP4rev1, but it does not indicate that in its CAPABILITY response
-1268	IMAP: the server response to the STARTTLS command was incorrect
-1269	IMAP: parameter passed to command is too long
-1270	IMAP: login was rejected because the user name or password was incorrect
-1271	IMAP: the server response to the LOGIN command was incorrect
-1272	IMAP: the server response to the LOGOUT command was incorrect (network connection has been closed)
-1273	IMAP: the secure parameter to IMAPConnect is invalid
-1274	IMAP: the server response to the AUTHENTICATE CRAM-MD5 command was incorrect

<b>Error Code</b>	<b>Error Text</b>
-1275	IMAP: error decoding base64 response to AUTHENTICATE CRAM-MD5 command
-1276	IMAP: the server response to the LIST or LSUB command was incorrect
-1277	IMAP: the server response to the SELECT command was incorrect
-1278	IMAP: missing output list parameter
-1279	IMAP: the server response to the SUBSCRIBE command was incorrect
-1280	IMAP: the server response to the UNSUBSCRIBE command was incorrect
-1281	IMAP: the server response to the STORE command was incorrect
-1282	IMAP: the server response to the RENAME command was incorrect
-1283	IMAP: the server response to the EXPUNGE command was incorrect
-1284	IMAP: the server response to the DELETE command was incorrect
-1285	IMAP: the server response to the CREATE command was incorrect
-1286	IMAP: the server response to the COPY command was incorrect
-1287	IMAP: Incorrect FETCH response message sequence number when listing messages
-1288	IMAP: the server response to the FETCH command was incorrect when listing messages
-1289	IMAP: No flags returned in FETCH response when listing messages
-1290	IMAP: No size returned in FETCH response when listing messages
-1291	IMAP: No UID returned in FETCH response when listing messages
-1292	IMAP: Flags in response are not terminated by close parenthesis
-1293	IMAP: Invalid integer value in FETCH response when listing messages
-1294	IMAP: FETCH response not terminated with close parenthesis when listing messages
-1295	IMAP: No INTERNALDATE returned in FETCH response when listing messages
-1296	IMAP: INTERNALDATE returned in FETCH response when listing messages is not correctly enclosed in double quotes
-1297	IMAP: FETCH response incomplete
-1298	IMAP: the server response to the FETCH command was incorrect when receiving a message or headers
-1299	IMAP: bad message length in FETCH response
-1300	IMAP: unrecognized data item in response when FETCHing message or headers
-1301	IMAP: the server response to the NOOP command was incorrect

<b>Error Code</b>	<b>Error Text</b>
-1302	IMAP: the server response to the CHECK command was incorrect
-10004	Socket error: Interrupted function call
-10009	Socket error: Bad file descriptor
-10013	Socket error: Permission denied
-10014	Socket error: Bad address
-10022	Socket error: Invalid argument
-10024	Socket error: Too many open files
-10035	Socket error: The command would block
-10036	Socket error: Operation now in progress
-10037	Socket error: Operation already in progress
-10038	Socket error: Socket operation on non-socket
-10039	Socket error: Destination address required
-10040	Socket error: Message too long
-10041	Socket error: Protocol wrong type for socket
-10042	Socket error: Bad protocol option
-10043	Socket error: Protocol not supported
-10044	Socket error: Socket type not supported
-10045	Socket error: Operation not supported
-10046	Socket error: Protocol family not supported
-10047	Socket error: Address family not supported by protocol family
-10048	Socket error: Address already in use
-10049	Socket error: Cannot assign requested address
-10050	Socket error: Network is down
-10051	Socket error: Network is unreachable
-10052	Socket error: Network dropped connection on reset
-10053	Socket error: Software caused connection abort
-10054	Socket error: Connection reset by peer
-10055	Socket error: No buffer space available
-10056	Socket error: Socket is already connected
-10057	Socket error: Socket is not connected
-10058	Socket error: Cannot send after socket shutdown
-10059	Socket error: Too many references; cannot splice
-10060	Socket error: Connection timed out

<b>Error Code</b>	<b>Error Text</b>
-10061	Socket error: Connection refused
-10062	Socket error: Too many levels of symbolic links
-10063	Socket error: File name too long
-10064	Socket error: Host is down
-10065	Socket error: No route to host
-10066	Socket error: Directory not empty
-10067	Socket error: Too many processes
-10068	Socket error: Too many users
-10069	Socket error: Disk quota exceeded
-10070	Socket error: Stale NFS file handle
-10071	Socket error: Too many levels of remote in path
-10091	Socket error: Network subsystem is unavailable
-10092	Socket error: WINSOCK.DLL version out of range
-10093	Socket error: Successful WSAShutdown() not yet performed
-10101	Socket error: Graceful shutdown in progress
-11001	Lookup error: Host not found
-11002	Lookup error: Non-authoritative host not found
-11003	Lookup error: This is a non-recoverable error
-11004	Lookup error: Valid name, no data record of requested type